BLP EDITION

Angle Heads Type
MONO WSX & FORTE WWX


incl. adapter and stop block

BENZ SELECT LINE

BENZ quality | attractive pricing | quick delivery

Tooling Technology Metal Machining

BENZ TOOLING






BLP EDITION



TLP EDITION

BENZ SELECT LINE: PRODUCT RANGE BLP EDITION

TYPE MONO WSX



Drawing shows a sample configuration.

Taper available in HSK-A63, HSK-A100, SK40, SK50, BT40, BT50, CAT40 and CAT50.

For more information about TLP Edition, contact the BENZ Sales Team.


Technical data

Type	Output spindle	Angle head	Taper	L1 [mm]	L2 [mm]	A [mm]	i	n [rpm]	M [Nm]	Cooling - EC/IC	Order number
MONO WSX Size 05	S3 x ER25	05	HSK-A63	135	77	65	1	8000	30	●	771WSX00205S3-135SLT
	S3 x ER25	05	HSK-A63	135	77	80	1	8000	30	●	771WSX00405S3-135SLT
	S3 x ER25	05	HSK-A100	135	77	80	1	8000	30	●	772WSX00205S3-135SLT
	S3 x ER25	05	HSK-A100	135	77	110	1	8000	30	●	772WSX00405S3-135SLT
	S3 x ER25	05	SK40	135	77	65	1	8000	30	●	040WSX00205S3-135SLT
	S3 x ER25	05	SK40	135	77	80	1	8000	30	●	040WSX00405S3-135SLT
	S3 x ER25	05	SK50	135	77	80	1	8000	30	●	042WSX00205S3-135SLT
	S3 x ER25	05	SK50	135	77	110	1	8000	30	●	042WSX00405S3-135SLT
	S3 x ER25	05	BT40	135	77	65	1	8000	30	●	039WSX00205S3-135SLT
	S3 x ER25	05	BT40	135	77	80	1	8000	30	●	039WSX00405S3-135SLT
	S3 x ER25	05	BT50	135	77	80	1	8000	30	●	011WSX00205S3-135SLT
	S3 x ER25	05	BT50	135	77	110	1	8000	30	●	011WSX00405S3-135SLT
	S3 x ER25	05	CAT40	135	77	65	1	8000	30	●	377WSX00205S3-135SLT
	S3 x ER25	05	CAT40	135	77	80	1	8000	30	●	377WSX00405S3-135SLT
	S3 x ER25	05	CAT50	135	77	80	1	8000	30	●	107WSX00205S3-135SLT
	S3 x ER25	05	CAT50	135	77	110	1	8000	30	●	107WSX00405S3-135SLT
MONO WSX Size 07	S4 x ER32	07	HSK-A63	150	88	65	1	6000	70	●	771WSX00207S4-150SLT
	S4 x ER32	07	HSK-A63	150	88	80	1	6000	70	●	771WSX00407S4-150SLT
	S4 x ER32	07	HSK-A100	150	88	80	1	6000	70	●	772WSX00207S4-150SLT
	S4 x ER32	07	HSK-A100	150	88	110	1	6000	70	●	772WSX00407S4-150SLT
	S4 x ER32	07	SK40	150	88	65	1	6000	70	●	040WSX00207S4-150SLT
	S4 x ER32	07	SK40	150	88	80	1	6000	70	●	040WSX00407S4-150SLT
	S4 x ER32	07	SK50	150	88	80	1	6000	70	●	042WSX00207S4-150SLT
	S4 x ER32	07	SK50	150	88	110	1	6000	70	●	042WSX00407S4-150SLT
	S4 x ER32	07	BT40	150	88	65	1	6000	70	●	039WSX00207S4-150SLT
	S4 x ER32	07	BT40	150	88	80	1	6000	70	●	039WSX00407S4-150SLT
	S4 x ER32	07	BT50	150	88	80	1	6000	70	●	011WSX00207S4-150SLT
	S4 x ER32	07	BT50	150	88	110	1	6000	70	●	011WSX00407S4-150SLT
	S4 x ER32	07	CAT40	150	88	65	1	6000	70	●	377WSX00207S4-150SLT
	S4 x ER32	07	CAT40	150	88	80	1	6000	70	●	377WSX00407S4-150SLT
	S4 x ER32	07	CAT50	150	88	80	1	6000	70	●	107WSX00207S4-150SLT
	S4 x ER32	07	CAT50	150	88	110	1	6000	70	●	107WSX00407S4-150SLT

Scope of delivery: angle head with modular quick-change system BENZ Solidfix® incl. 1 adapter (Type ER Collet) and 1 stop block

BENZ SELECT LINE: PRODUCT RANGE BLP EDITION

TYPE FORTE WWX



Drawing shows a sample configuration.

Taper available in HSK-A63, HSK-A100, SK40, SK50, BT40, BT50, CAT40 and CAT50.

For more information about TLP Edition, contact the BENZ Sales Team.

Technical data

Type	Output spindle	Angle head	Taper	L1 [mm]	L2 [mm]	A [mm]	i	n [rpm]	M [Nm]	Cooling -	Cooling EC/IC	Order number
FORTE WWX Size 05	S3 x ER25	05	HSK-A63	172	113	65	1	8000	30	●		771WWX00205S3-172SLT
	S3 x ER25	05	HSK-A63	172	113	65	1	8000	30		●	711WWX00205S3-172SLT
	S3 x ER25	05	HSK-A63	172	113	80	1	8000	30	●		771WWX00405S3-172SLT
	S3 x ER25	05	HSK-A63	172	113	80	1	8000	30		●	711WWX00405S3-172SLT
	S3 x ER25	05	HSK-A100	172	113	80	1	8000	30	●		772WWX00205S3-172SLT
	S3 x ER25	05	HSK-A100	172	113	80	1	8000	30		●	713WWX00205S3-172SLT
	S3 x ER25	05	HSK-A100	172	113	110	1	8000	30	●		772WWX00405S3-172SLT
	S3 x ER25	05	HSK-A100	172	113	110	1	8000	30		●	713WWX00405S3-172SLT
	S3 x ER25	05	SK40	172	113	65	1	8000	30	●		040WWX00205S3-172SLT
	S3 x ER25	05	SK40	172	113	65	1	8000	30		●	240WWX00205S3-172SLT
	S3 x ER25	05	SK40	172	113	80	1	8000	30	●		040WWX00405S3-172SLT
	S3 x ER25	05	SK40	172	113	80	1	8000	30		●	240WWX00405S3-172SLT
	S3 x ER25	05	SK50	172	113	80	1	8000	30	●		042WWX00205S3-172SLT
	S3 x ER25	05	SK50	172	113	80	1	8000	30		●	242WWX00205S3-172SLT
	S3 x ER25	05	SK50	172	113	110	1	8000	30	●		042WWX00405S3-172SLT
	S3 x ER25	05	SK50	172	113	110	1	8000	30		●	242WWX00405S3-172SLT
	S3 x ER25	05	BT40	172	113	65	1	8000	30	●		039WWX00205S3-172SLT
	S3 x ER25	05	BT40	172	113	65	1	8000	30		●	339WWX00205S3-172SLT
	S3 x ER25	05	BT40	172	113	80	1	8000	30	●		039WWX00405S3-172SLT
	S3 x ER25	05	BT40	172	113	80	1	8000	30		●	339WWX00405S3-172SLT
	S3 x ER25	05	BT50	172	113	80	1	8000	30	●		011WWX00205S3-172SLT
	S3 x ER25	05	BT50	172	113	80	1	8000	30		●	466WWX00205S3-172SLT
	S3 x ER25	05	BT50	172	113	110	1	8000	30	●		011WWX00405S3-172SLT
	S3 x ER25	05	BT50	172	113	110	1	8000	30		●	466WWX00405S3-172SLT
	S3 x ER25	05	CAT40	172	113	65	1	8000	30	●		377WWX00205S3-172SLT
	S3 x ER25	05	CAT40	172	113	65	1	8000	30		●	378WWX00205S3-172SLT
	S3 x ER25	05	CAT40	172	113	80	1	8000	30	●		377WWX00405S3-172SLT
	S3 x ER25	05	CAT40	172	113	80	1	8000	30		●	378WWX00405S3-172SLT
	S3 x ER25	05	CAT50	172	113	80	1	8000	30	●		107WWX00205S3-172SLT
	S3 x ER25	05	CAT50	172	113	80	1	8000	30		●	354WWX00205S3-172SLT
	S3 x ER25	05	CAT50	172	113	110	1	8000	30	●		107WWX00405S3-172SLT
	S3 x ER25	05	CAT50	172	113	110	1	8000	30		●	354WWX00405S3-172SLT

Scope of delivery: angle head with modular quick-change system BENZ Solidfix® incl. 1 adapter (Type ER Collet) and 1 stop block

BENZ SELECT LINE: PRODUCT RANGE BLP EDITION

Type	Technical data: Output spindle	Angle head	Taper	L1 [mm]	L2 [mm]	A [mm]	i	n [rpm]	M [Nm]	Cooling -	Cooling EC/IC	Order number
FORTE WWX Size 07	S4 x ER32	07	HSK-A63	200	138	65	1	6000	70	●		771WWX00207S4-200SLT
	S4 x ER32	07	HSK-A63	200	138	65	1	6000	70		●	711WWX00207S4-200SLT
	S4 x ER32	07	HSK-A63	200	138	80	1	6000	70	●		771WWX00407S4-200SLT
	S4 x ER32	07	HSK-A63	200	138	80	1	6000	70		●	711WWX00407S4-200SLT
	S4 x ER32	07	HSK-A100	200	138	80	1	6000	70	●		772WWX00207S4-200SLT
	S4 x ER32	07	HSK-A100	200	138	80	1	6000	70		●	713WWX00207S4-200SLT
	S4 x ER32	07	HSK-A100	200	138	110	1	6000	70	●		772WWX00407S4-200SLT
	S4 x ER32	07	HSK-A100	200	138	110	1	6000	70		●	713WWX00407S4-200SLT
	S4 x ER32	07	SK40	200	138	65	1	6000	70	●		040WWX00207S4-200SLT
	S4 x ER32	07	SK40	200	138	65	1	6000	70		●	240WWX00207S4-200SLT
	S4 x ER32	07	SK40	200	138	80	1	6000	70	●		040WWX00407S4-200SLT
	S4 x ER32	07	SK40	200	138	80	1	6000	70		●	240WWX00407S4-200SLT
	S4 x ER32	07	SK50	200	138	80	1	6000	70	●		042WWX00207S4-200SLT
	S4 x ER32	07	SK50	200	138	80	1	6000	70		●	242WWX00207S4-200SLT
	S4 x ER32	07	SK50	200	138	110	1	6000	70	●		042WWX00407S4-200SLT
	S4 x ER32	07	SK50	200	138	110	1	6000	70		●	242WWX00407S4-200SLT
	S4 x ER32	07	BT40	200	138	65	1	6000	70	●		039WWX00207S4-200SLT
	S4 x ER32	07	BT40	200	138	65	1	6000	70		●	339WWX00207S4-200SLT
	S4 x ER32	07	BT40	200	138	80	1	6000	70	●		039WWX00407S4-200SLT
	S4 x ER32	07	BT40	200	138	80	1	6000	70		●	339WWX00407S4-200SLT
	S4 x ER32	07	BT50	200	138	80	1	6000	70	●		011WWX00207S4-200SLT
	S4 x ER32	07	BT50	200	138	80	1	6000	70		●	466WWX00207S4-200SLT
	S4 x ER32	07	BT50	200	138	110	1	6000	70	●		011WWX00407S4-200SLT
	S4 x ER32	07	BT50	200	138	110	1	6000	70		●	466WWX00407S4-200SLT
	S4 x ER32	07	CAT40	200	138	65	1	6000	70	●		377WWX00207S4-200SLT
	S4 x ER32	07	CAT40	200	138	65	1	6000	70		●	378WWX00207S4-200SLT
	S4 x ER32	07	CAT40	200	138	80	1	6000	70	●		377WWX00407S4-200SLT
	S4 x ER32	07	CAT40	200	138	80	1	6000	70		●	378WWX00407S4-200SLT
	S4 x ER32	07	CAT50	200	138	80	1	6000	70	●		107WWX00207S4-200SLT
	S4 x ER32	07	CAT50	200	138	80	1	6000	70		●	354WWX00207S4-200SLT
	S4 x ER32	07	CAT50	200	138	110	1	6000	70	●		107WWX00407S4-200SLT
	S4 x ER32	07	CAT50	200	138	110	1	6000	70		●	354WWX00407S4-200SLT

Scope of delivery: angle head with modular quick-change system BENZ Solidfix® incl. 1 adapter (Type ER Collet) and 1 stop block

ACCESSORIES

Type	Size	Order number
Adapter		
	S3 x ER25	693.130E534
	S4 x ER32	694.130E639

Type	for A [mm]	Order number
Stop block		
	A 65	K00600-055/075
	A 80	K00600-070/090
	A 110	K00600-100/120

OPTIONAL ACCESSORIES

Type		Size	Order number
Startup kit			
 Mounting block	 Allen key	S3 x ER25	S3-SET-0001
 Hook wrench	 Clamping wrench	S4 x ER32	S4-SET-0001

+49 7803 504 300-0 | info@benztooling.com